

Calibration Certificate

Avery Weigh-Tronix
 Foundry Lane, Smethwick
 West Midlands, B66 2LP
www.averyweigh-tronix.com

Tel: 0845 900 22 44



Customer Details

Name : Chas Storer Ltd
 Address : Coopers Lane
 Northaw
 Potters Bar
 EN6 4NE
 Contact Name : John Curtis
 Telephone No. 01707656261

Linearity / Accuracy Test

Test Point	As Found Reading	As Found Deviation	Definitive Reading	Definitive Deviation
0 kg	0 kg	0 kg	0 kg	0 kg
8,000 kg	8,000 kg	0 kg	8,000 kg	0 kg
16,000 kg	16,000 kg	0 kg	16,000 kg	0 kg
24,140 kg	24,140 kg	0 kg	24,140 kg	0 kg
32,140 kg	32,140 kg	0 kg	32,140 kg	0 kg
40,140 kg	40,140 kg	0 kg	40,140 kg	0 kg
46,760 kg	46,760 kg	0 kg	46,760 kg	0 kg

Certificate No. 108465460/0101

Date of Calibration : 25/07/2017
 Next Calibration Due : Jul 2018

Agreement No. 3041000001

Location : POTTERS BAR

Department :

Plant Number : 4xT301 L/C + JuncBox

Manufacturer : Avery Weigh-Tronix

Model : E1205

Serial No : 151250740

Capacity : 50000 kg

Resolution : 20kg

Tolerance : +/-60kg

Calibration Frequency : CL 1 x p.a. - Both

Off Centre 2 3 or End -Middle-End Loading Test 1 4 1-2-3

Test Point	As Found Reading	As Found Deviation	Definitive Reading	Definitive Deviation
10,620 kg	10,600 kg	-20 kg	10,600 kg	-20 kg
10,620 kg	10,640 kg	20 kg	10,640 kg	20 kg
10,620 kg	10,620 kg	0 kg	10,620 kg	0 kg
10,620 kg	10,620 kg	0 kg	10,620 kg	0 kg

Test Weight Details

Weight Set No. & Certificate No.

W003: A0274

Test weights and equipment are traceable to national standards.

Repeatability Test

Test Point	As Found Reading	As Found Deviation	Definitive Reading	Definitive Deviation
40,140 kg	40,140 kg	0 kg	40,140 kg	0 kg
40,140 kg	40,140 kg	0 kg	40,140 kg	0 kg
40,140 kg	40,140 kg	0 kg	40,140 kg	0 kg

This certificate complies with the United Kingdom Weighing Federation Calibration Code of Practice for non-automatic weighing instruments.

Comments

Weighbridge within tolerance, no adjustment required. Make-up weight used

Tolerances

Unless otherwise agreed tolerances will be those permitted by current Weights and Measures Regulations for Class III machines as follows:

0-500 divisions +/- 1 divn.
 >500-2000 divisions +/- 2 divn.
 >2000 divisions +/- 3 divn.

For key calibration information please login to <https://averyweigh-tronix.com>

Technicians Name: Goulder G

Customer Name: Mr Curtiss

Technicians Signature:

Customer Signature: